€V3A. Z68 SLI Micro

Part Number: **120-SB-E682**



The EVGA Z68 motherboards have arrived! These motherboards based on the latest Intel® Express Chipset offer incredible performance and overclocking with Sandy Bridge 2nd Generation Intel[®] Core[™] i3, Core™ i5 and Core™ i7 processors, and with the new Intel Smart Response Technology, users can combine a Solid State Drive with a traditional mechanical drive and receive both high performance and high storage capacity! Intel® Smart Response Technology implements a storage I/O caching system to provide users with faster response times for frequently used applications.

The entire EVGA Z68 lineup has full support for SATA III/6G and USB 3.0 giving you the latest standards in high performance storage, and a forward thinking true next generation motherboard layout allows you to take control!

KEY SPECS

- Supports Sandy Bridge 2nd Generation Intel® Core™ i3, i5 and i7 Socket 1155 Processors
- Intel® Z68 Chipset
- 4 DIMM Dual-Channel DDR3 2133Mhz+ (up to 16GB)
- 2 PCI Express 2.0 Graphics Expansion Slots
- 12 USB 2.0 Ports (eight rear panel, four onboard)
- 2 USB 3.0 Ports (rear panel)

- 2 SATA III/6G Ports
- 4 SATA II/3G Ports (2 E-SATA)
- Support for SSD Caching
- 2 1394 Ports (firewire, one rear panel, one onboard)

DIMENSIONS | | | | | |

Width: 9.6in – 243.8mm

Length: 9.6in – 243.8mm

EVGA Driver Installation Disc with

2 Port USB / 1394 Firewire Port

Form Factor: MATX

EVGA E-LEET

Rear Case I/O Panel

2 SATA 3G Data Cables

2 SATA 6G Data Cables

2 SATA Power Adapters

- 1 Gigabit Ethernet Ports (10/100/1000)
- 8 Channel High Definition Audio
- Micro ATX Form Factor



6 Phase PWM -Superior power delivery




EVGA E-LEET Tuning Utility -Enthusiast software for adjusting overclocking in 0.S.



EVGA Double Play Heat Sink -CPU mounting supports both Socket 775 and Socket 1155/1156 heatsinks



100% Solid State Capacitors -





EVGA EZ Voltage read points -

Easily read voltage levels with dedicated read points



Dual BIOS Support -

Always have a backup, compare BIOS versions or use 2 seperate profiles!



EVGA Vdroop Control -

Improves overclocking stability



Onboard Clear CMOS, Power, and Reset Buttons -

System essentials at the touch of a button



Passive chipset heatsink -

No fans, lower noise, longer lifespan



EVGA Dummy OC -

Overclocking at the touch of a button



Onboard CPU Temperature Monitor -

Monitor your CPU temps quickly and easily

 2-way SLI Bridge Visual Installation Guide Manual

Bracket



PRODUCT WARRANTY

This product is covered under EVGA's 3 year warranty which covers parts and labor. Further warranty extension is available upon registration within 30 days of purchase. For more details please visit www.evga.com/warranty















Supported CPUs - Sandy Bridge 2nd Generation Intel® Core™ i3, Core™ i5 and Core™ i7 Socket 1155 Socket Type - LGA1155

PCH - Intel® Z68

DIMM QTY - 4 DIMM Slots Memory Type - DDR3 800/1066/1333/1600/1866/2133MHz+ Memory Capacity - 16GB

SATA II 3.0Gb/s Ports/Controller - 4 / Z68 PCH SATA III 6.0Gb/s Ports/Controller - 2 / Z68 PCH E-SATA - 2 / Marvell 88SE6121 RAID Support - RAID 0, 1, 5, 10, JBOD

USB 2.0 Ports/Controller - 12 / Intel® Z68 PCH USB 3.0 Ports/Controller - 2 / ASMedia ASM1042

Network Speed - 10/100/1000 Network Ports/Controller - 1 / Marvell 88E8057

Audio - 8 Channel HD Audio Audio Controller - Realtek ALC889

PCI-E Slot Arrangement - 2x8 PCI-E x16 Mechanical Slots - 2 PCI-E x1 Slots - 2

BIOS Type - AMI / UEFI Software - EVGA E-LEET Tuning Utility

Fan Headers - 5











