EVGA PD02

2





EVGA's New VMware-certified PCoIP zero client for cloud computing. Reduce your total cost of ownership, free up desk space, and eliminate the provisioning, maintenance, and support of desktop PCs while still providing a true, uncompromised PC experience. The EVGA PD02 is a true zero client that provides a small footprint, low power consumption, centralized virus protection, Operating System versatility, and full USB device support. Centralized computing is now a truly viable option for all user types, either locally via LAN or remotely via WAN.



A True Zero-Client

- No operating system
- No drivers
- Audio Support
- Full USB Support
- Lowest operational cost
- No local storage maintenance or remote file servers
- No need to replace client due to protocol updates, new applications, media, graphics, or memory restrictions



Intrinsic Security Features

- · Data never leaves the data center
- All transmissions (display, USB, and audio) are hardware encrypted
- USB Devices are authenticated for access
- · No virus or spyware to worry about
- · Corporate IP is protected
- Controlled Access



Uncompromised User Experience

- VMware View[™] 4.5 and 4.6 certified
- VMware View[™] 5.0* compatible
- Support for Imprivata*
- Efficient space management
- Easy installation and maintenance
- Smooth, high-quality HD experience
- · Bi-directional stereo audio
- · Instant mouse and keyboard response
- · Easy setup and implementation

Part Number: 124-IP-PD02-KR

SPECS:

- TERA1100 PCoIP® zero client processor
- Memory 128MB XDR RAM
- Dual single-link DVI-I ports
- Integrated Kensington Security Slot
- Four USB 2.0 compliant ports*
- One mic in
- One line out/headphone
- Power & Remote PC restart buttons

- Networking 10/100/1000 Base-T Gigabit ethernet
- Single and Dual: 1920x1200@60Hz, Color Depth: 8, 15, 16 or 24bpp.
- Audio Output: 1/8-inch mini jack, full 16 bit stereo
- Input: 1/8-inch mini jack, 8 bit microphone
- Temperature Range: 5C to 40C
- Humidity Range: 20% to 80%
- Safety certifications: UL/cUL/TUV/FCC/RoHS/CE/ CCATS/WEEE/C-Tick
- Average Power Usage: 12W

DIMENSIONS:

- Length: 5.1in 129.5mm
- Width: 4.7in 119.4mm
- Height: 2.4in 61mm

ACCESSORIES:

- Power adapter & cord
- CD
- Visual Guide

*Compatibility added with Firmware 3.5.0 or Higher



PRODUCT WARRANTY

This **EVGA** product has a 3 year limited warranty upon product registration. For more information please visit: www.evga.com/warranty

2001-2012 EVGA Corp. EVGA, the EVGA logo and combinations thereof are trademarks of EVGA Corp. All brands and companies are trademarks of registered Trademarks of their respective companies. EVGA reserves the right to terminate this license if there is a violation of its terms or default by the Original Purchaser. Upon termination, for any reason, all copies of the Software must be immediately returned to EVGA and the Original Purchaser shall be liable to EVGA Corp. for any and all damages suffered as a result of the violation or default.




Remote Workstation EVGA PCoIP Host Card

Host Card

Part Number:

128-IP-HD02-KR

Hardware Accelerated Performance Supports Maximum Full Frame Rate



The EVGA PCoIP Zero Client will work in all situations. A device that can fit in your hand will easily handle any VDI or extreme 3D graphics modeling use cases and everything in between. Multiple users can now connect to and utilize any amount of horsepower stored in safe, controlled environments.

VDI Server

mware[®]

Desktop Virtualization Software VMware View is a purpose-built desktop virtualization solution for delivering desktops as a managed service.

For more info please visit: evga.com/PCOIP





www.evga.com





PCOIP

Desktop Screen Video and Audio

Encode

Compress/ Transmit

Recieve/

Decompress

Decode

Users

Desktop Screen Video and Audio