# EVGA PD05

EVGA's New VMware-certified PCoIP zero client for cloud computing. Reduce your total cost of ownership, free up valuable desk space, and eliminate the need for provisioning, maintaining, and supporting desktop PCs, while still providing a true, uncompromised PC experience through a lightning fast 100Mbps Fiber SFP connection. The EVGA PD05 is a true zero client that is specifically designed with a small footprint, low power consumption, centralized virus protection, Operating System versatility and full USB support. Centralized computing is now a truly viable option for all user types, and is accessible locally via 100Mbps Fiber SFP module.





### A True Fiber Capable Zero-Client

- Supports 100Mbps Fiber SFP module\*
- · No operating system or drivers
- Audio Support
- Full USB Support
- · Lowest operational cost
- No local storage maintenance or remote file servers
- No need to replace client due to protocol updates, new applications, media, graphics, or memory restrictions



### **Intrinsic Security Features**

- · Data never leaves the data center
- All transmissions (display, USB, and audio) are hardware encrypted
- USB Devices are authenticated for access
- . No virus or spyware to worry about
- Corporate IP is protected
- Controlled Access



## Uncompromised User Experience

- Fiber connection offers unparalleled speed and security
- VMware View™ 4.5 and 4.6 certified
- VMware View™ 5.0\*\* compatible
- Support for Imprivata\*\*
- Efficient space management
- Easy installation and maintenance
- Smooth, high-quality HD experience
- Bi-directional stereo audio
- Instant mouse and keyboard response
- Easy setup and implementation

Part Number: 124-IP-PD05-K1

#### SPECS:

- TERA1100 PCoIP® zero client processor
- Memory 128MB XDR RAM
- Dual single-link DVI-I ports
- Integrated Kensington Security Slot
- Four USB 2.0 compliant ports\*\*
- One mic in
- One line out/headphone
- Power & Remote PC restart buttons

- 100Mbps Fiber SFP Module
- Single and Dual: 1920x1200@60Hz, Color Depth: 8, 15, 16 or 24bpp.
- Audio Output: 1/8-inch mini jack, full 16 bit stereo
- Input: 1/8-inch mini jack, 8 bit microphone
- Temperature Range: 5C to 40C
- Humidity Range: 20% to 80%
- Safety certifications: UL/cUL/FCC/RoHS/CE/CCATS
- Average Power Usage: 12W

#### **DIMENSIONS:**

- Length: 6.75in 171.5mm
- Width: 6.375in 161.9mm
- Height: 1.625in 41.3mm

#### **ACCESSORIES:**

- Power adapter & cord
- 100Mbps Fiber SFP module
- CD
- Visual Guide
- \* Ethernet/100Mbps Fiber SFP module sold separately
- \*\*Compatibility added with Firmware 3.5.0 or Higher



#### **PRODUCT WARRANTY**


This **EVGA** product has a 3 year limited warranty upon product registration. For more information please visit: www.evga.com/warranty

2001-2012 EVGA Corp. EVGA, the EVGA logo and combinations thereof are trademarks of EVGA Corp. All brands and companies are trademarks of registered Trademarks of their respective companies. EVGA reserves the right to terminate this license if there is a violation of its terms or default by the Original Purchaser. Upon termination, for any reason, all copies of the Software must be immediately returned to EVGA and the Original Purchaser shall be liable to EVGA Corp. for any and all damages suffered as a result of the violation or default.



Hardware Accelerated Performance Supports Maximum Full Frame Rate

Users




The EVGA PCoIP Zero Client will work in all situations. A device that can fit in your hand will easily handle any VDI or extreme 3D graphics modeling use cases and everything in between. Multiple users can now connect to and utilize any amount of horsepower stored in safe, controlled environments.

For more info please visit: evga.com/PCOIP















Desktop Screen Video and Audio